

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 08/24/2020 Version: 1.0

## **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form:</u> Mixture

Product Name: RTU Boiler Antifreeze -60°F

Product Code: 328XX

**Intended Use of the Product** 

Antifreeze Coolant

Name, Address, and Telephone of the Responsible Party

Company

Star brite® Inc.

4041 SW 47th Avenue

Fort Lauderdale, FL 33314

(800) 327-8583

www.starbrite.com

**Emergency Telephone Number** 

Emergency Number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

#### **SECTION 2: HAZARDS IDENTIFICATION**

## **Classification of the Substance or Mixture**

**GHS-US/CA Classification** 

Not classified

#### **Label Elements**

## **GHS-US/CA Labeling**

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

#### **Other Hazards**

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

## **Unknown Acute Toxicity (GHS-US/CA)**

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### **Mixture**

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
1,2-Propanediol**	1,2-Propylene glycol / 1,2- Dihydroxypropane / Propane- 1,2-diol / Propylene glycol / PROPYLENE GLYCOL	(CAS-No.) 57-55-6	45 - 70	Not classified

Full text of H-phrases: see section 16

## **SECTION 4: FIRST AID MEASURES**

## **Description of First-aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

08/24/2020 KAOTT.B-CC EN (English US) 1/6

<sup>\*</sup>Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

<sup>\*\*</sup> The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2015-17 and 29 CFR 1910.1200.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

#### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use. **Inhalation:** Prolonged exposure may cause irritation. When heated, material emits irritating fumes.

**Skin Contact:** Prolonged exposure may cause skin irritation.

**Eye Contact:** May cause slight irritation to eyes. **Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

## **Extinguishing Media**

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive. Containers may rupture when exposed to excessive heat.

Reactivity: Hazardous reactions will not occur under normal conditions.

### **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapours from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Phosphorous oxide. Potassium oxides. Aldehydes. Alcohols. Ethers.

Organic acids. Irritating fumes.

### **Reference to Other Sections**

Refer to Section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters.

#### Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### **Reference to Other Sections**

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

08/24/2020 KAOTT.B-CC EN (English US) 2/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

**Additional Hazards When Processed:** Spills of this material onto hot fibrous insulations may lower the autoignition temperature and result in spontaneous combustion.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

## **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Containers which are opened should be properly resealed and kept upright to prevent leakage.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Isocyanates. Alkalis.

Specific End Use(s)

Antifreeze Coolant

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

1,2-Propanediol (57	-55-6)	
USA AIHA	WEEL TWA (mg/m³)	10 mg/m³
Ontario	OEL TWA (mg/m³)	10 mg/m³ (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present-aerosol only) 155 mg/m³ (aerosol and vapor)
Ontario	OEL TWA (ppm)	50 ppm (aerosol and vapor)

#### **Exposure Controls**

**Appropriate Engineering Controls:** Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal Hazard Protection: When working with hot material, use suitable thermally protective clothing.

Other Information: When using, do not eat, drink or smoke.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## **Information on Basic Physical and Chemical Properties**

Physical State : Liquid Appearance : Red

Odor Threshold : Characteristic

Odor Threshold : Not available

**pH** : 9

**Evaporation Rate** : Not available

08/24/2020 KAOTT.B-CC EN (English US) 3/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Melting Point** Not available **Freezing Point** Not available **Boiling Point** Not available Flash Point Not available **Auto-ignition Temperature** Not available Not available **Decomposition Temperature** Flammability (solid, gas) Not applicable **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20°C Not available **Relative Density** Not available

Specific Gravity : 1.03

Solubility: Water: SolublePartition Coefficient: N-Octanol/Water: Not availableViscosity: Not available

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Isocyanates. Alkalis.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition products should not

be produced. Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Aldehydes. Alcohols. Ethers. Organic acids.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

<u>Information on Toxicological Effects - Product</u>

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified

**pH**: 9

Eye Damage/Irritation: Not classified

**pH**: 9

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. When heated, material emits irritating fumes.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

1,2-Propanediol (57-55-6)

08/24/2020 KAOTT.B-CC EN (English US) 4/6

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

LD50 Oral Rat	20 g/kg
LD50 Dermal Rabbit	20800 mg/kg

## **SECTION 12: ECOLOGICAL INFORMATION**

#### **Toxicity**

Ecology - General: Not classified.

1,2-Propanediol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC50 Fish 2	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

#### **Persistence and Degradability**

-100 Boiler Anti-Freeze	
Persistence and Degradability	Not established.

## **Bioaccumulative Potential**

-100 Boiler Anti-Freeze	
Bioaccumulative Potential	Not established.
1,2-Propanediol (57-55-6)	
BCF Fish 1	<1
Partition coefficient n-octanol/water	-0.92
(Log Pow)	

#### **Mobility in Soil**

-100 Boiler Anti-Freeze	
Ecology - Soil	Not established.

### **Other Adverse Effects**

Other Information: Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with IMDG
In Accordance with IMDG
In Accordance with IATA
In Accordance with TDG
In Accordance with IMDG
In IMDE
In Accordance with IMDG
In IMDE
I

#### **SECTION 15: REGULATORY INFORMATION**

## **US Federal Regulations**

#### 1,2-Propanediol (57-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

**US State Regulations** 

## 1,2-Propanediol (57-55-6)

U.S. - Minnesota - Hazardous Substance List

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Texas - Effects Screening Levels - Long Term

U.S. - Texas - Effects Screening Levels - Short Term

08/24/2020 KAOTT.B-CC EN (English US) 5/6

# **Boiler System Antifreeze -100°F**

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## **Canadian Regulations**

1,2-Propanediol (57-55-6)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest** 

Sτ

Revision

Other Information

: 08/24/2020

: This document has been prepared in accordance with the SDS requirements of the OSHA  $\,$ 

Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products

Regulations (HPR) SOR/2015-17.

**GHS Full Text Phrases:** 

NFPA Health Hazard : 1 - Materials that, under emergency conditions, can cause

significant irritation.


NFPA Fire Hazard : 0 - Materials that will not burn under typical fire

conditions, including intrinsically noncombustible materials

such as concrete, stone, and sand.

NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even

under fire conditions.



This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

08/24/2020 KAOTT.B-CC EN (English US) 6/6