



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : STAR BRITE CERAMIC METAL PROTECTANT

Product code : 2033XX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Other. Exterior care products - all vehicle types.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite

4041 SW 47th Avenue

33314 Fort Lauderdale, Florida, United States of America

Telephone : +1-954 587-6280
E-mail : info@starbrite.com
Website : http://www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

US - Telephone : +1-703-527-3887 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

Chemtrec 001 703 5273887 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification (HCS : Skin sensitization, category 1.

§1910.1200)

2.2. Label elements

Label elements (1910.1200) Hazard pictograms



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.

P261 vapour Avoid breathing vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 gloves Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 sds Specific treatment (see section 4 on the SDS).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to an official chemical waste depot.

Product name : Star brite Ceramic Metal Protectant Page 1/9





SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS	Hazards
			nr.	
Hydroxyphenyl-benzotriazole-derivative	0,01 - < 0,1			Skin Sens. 1A; H317
				Aquatic Chronic 2; H411
Reaction mass of: 5-chloro-2- methyl-4	0,0015 - < 0,1	55965-84-9	ļ	Acute Tox. 3; H301
- isothiazolin-3-one and 2-methyl-2H -				Acute Tox. 2; H310
isothiazol-3- one (3:1)				Skin Corr. 1C; H314
				Skin Sens. 1A; H317
				Eye Dam. 1; H318
				Acute Tox. 2; H330
				Aquatic Acute 1; H400
				Aquatic Chronic 1; H410

Any concentration shown as a range is to protect confidentiality or is due to batch variations.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to

an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : No specific effects and/or symptoms are known.

Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Product name : Star brite Ceramic Metal Protectant Page 2/9





Not suitable : Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards :

: None known.

Hazardous thermal

Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective equipment for fire-fighters

: Use adequate respiratory equipment in case of insufficient ventilation.

NFPA hazard rating : 200

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain

with dike. Waste product should not be allowed to contaminate soil or water.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place.

Recommended packaging : Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

Product name : Star brite Ceramic Metal Protectant Page 3/9



Page 4/9



According to OSHA HazCom 2012, 29 CFR 1910.1200

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product.

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

: Wear appropriate protective clothing, overalls or suit, and similar boots. Suitable material: nitril. Body protection

Indication of permeation breakthrough time: 6 hours.

Respiratory protection: Take care of sufficient ventilation.

: Wear appropriate safety gloves. Suitable material: nitril. ± 0,5 mm. Indication of permeation Hand protection

breakthrough time: 6 hours.

Eve protection : Wear appropriate safety glasses with side shields when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour : White. Odour : Perfumed. Odour threshold Not known. 7,5

Solubility in water : Soluble.

Partition coefficient (n-: Not applicable. Not measured. Not relevant for mixtures.

octanol/water)

Flash point : Not applicable. Does not contain combustible substances in concentrations higher than 1%.

Flammability (solid, gas) : Not applicable. Liquid.

: 1 g/ml

Auto ignition temperature : > 190 °C Boiling point/boiling range : 100 °C

Freezing point 0°C

Relative density (20°C)

Explosion limits (% in air) : Not applicable.

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature: Not applicable. Viscosity (20°C) Not known.

Viscosity (40°C) Not relevant. The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : 2300 Pa Relative vapour density The solvent content of this product is less than 1%. : Not relevant.

Product name : Star brite Ceramic Metal Protectant





Evaporation rate : < 1 (n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : No specific recommendations.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. No specific effects and/or

symptoms are known.

Corrosion/irritation : No specific effects and/or symptoms are known. Not classified - based on available data, the

classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are

not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low

toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met. Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Product name : Star brite Ceramic Metal Protectant Page 5/9





Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low

toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard.

Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are

not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Hydroxyphenyl-benzotriazole-	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
derivative				
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	LC50 (inhalation)	> 5800 mg/m3	OECD 403	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Not mutagenic		
	NOAEL (oral)	5 mg/kg bw/d		Rat
	NOAEL (development,	Not teratogenic		
	oral)			
	NOAEL (fertility, oral)	Not reprotoxic		
Reaction mass of: 5-chloro-2- methyl-4	NOAEL (development,	2,8 mg/kg bw/d		Rat
- isothiazolin-3-one and 2-methyl-2H -	oral)			
isothiazol-3- one (3:1)				
	Mutagenicity	Not mutagenic		
	NOEL (carcinogenicity,	Not carcinogenic	OECD 453	Rat
	oral)			
	NOEL (inhalation)	0,34 mg/m3	OECD 413	Rat
	NOAEL (dermal)	0,104 mg/kg bw/d		Rat
	Skin sensitisation	Sensitizing.	 	Guinea pig
	Eye irritation	Corrosive.		Rabbit
	Skin irritation	Corrosive.		Rabbit
		2,8 mg/kg bw/d		Rat
	LD50 (dermal)	> 75 mg/kg bw		Rabbit
	LD50 (oral)	59 mg/kg bw		Rat
	LC50 (inhalation)	> 1169 mg/m3		Rat

11.2. Information on other hazards

Other information : No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

NTP.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Product name : Star brite Ceramic Metal Protectant Page 6/9





Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 645 mg/l. Calculated EC50 (waterflea): 1204 mg/l

I. Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability: May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be complied

with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

DOT (land)

Class : This product is not classified according to DOT.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Product name : Star brite Ceramic Metal Protectant Page 7/9





Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.

Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations : OSHA HazCom 2012, 29 CFR 1910.1200 and other Regulations.

United States TSCA (Toxic Substances Control Act) inventory

: All components of this product are in compliance with the inventory listing requirements of the U.S.

Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation

California : This product does not contain any chemicals known to the State of California to cause cancer, birth, or

Proposition 65 any other reproductive effects.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE : Acute Toxicity Estimate

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

DOT : Department of Transportation DSL : Domestic Substances List

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

HPA : Hazardous Products Act

HPR : Hazardous Products Regulations
IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development
OSHA : United States Occupational Safety and Health Administration

PBT : Persistent, Bioaccumulative and Toxic

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

WHMIS : Workplace Hazardous Materials Information System

Product name : Star brite Ceramic Metal Protectant Page 8/9





Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc. Also used: OSHA HazCom 2012, 29 CFR 1910.1200.

Full text of H-phrases mentioned in section 3:

H301 Toxic if swallowed. H310 Fatal in contact with skin.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Country / Language code : US / EN

Number format : "," used as decimal separator.

Date of preparation or

latest revision

: 2023-05-09

End of safety data sheet.

Product name : Star brite Ceramic Metal Protectant Page 9/9

Date of issue : 2023-05-09 Replaces issue dated : --- INFO CARE SDS