



ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision Date: 01/02/2014

Date of issue: 01/02/2014

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Identifier

Product Form: Mixture

Product Name: ProStar Peroxide All-Purpose Cleaner

Product Code: 1340XX

Intended Use of the Product

Use of the Substance/Mixture: Stain Remover.

Name, Address, and Telephone of the Responsible Party

Company

Star brite Inc.

4041 SW 47th Avenue

Fort Lauderdale, FL 33314

(954)587-6280

www.starbrite.com

Emergency Telephone Number

Emergency number : US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Ox. Liq. 1 H271


Skin Irrit. 2 H315

Eye Dam. 1 H318

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US)

: H271 - May cause fire or explosion; strong oxidizer

H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary Statements (GHS-US)

: P210 - Keep away from heat, hot surfaces, open flames, sparks - No smoking.

P220 - Keep/Store away from combustible materials.

P221 - Take any precaution to avoid mixing with combustibles, clothing.

P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P280 - Wear eye protection, protective gloves, protective clothing.

P283 - Wear fire/flammable resistant/retardant clothing.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P306+P360 - If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P310 - Immediately call a POISON CENTER or doctor.

P321 - Specific treatment (see Section 4).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362 - Take off contaminated clothing.

P370+P378 - In case of fire: Use water in large amounts, water spray for extinction.

P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

remotely due to the risk of explosion.

P501 - Dispose of contents/container according to local, regional, national, territorial, provincial, and international regulations.

Other Hazards Not available

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product identifier | % (w/w) | Classification (GHS-US) |
|------------------------------|---------------------|---------|--|
| Hydrogen peroxide | (CAS No) 7722-84-1 | 1 - 5 | Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 3, H402 Aquatic Chronic 3, H412 |
| Alcohols, C9-11, ethoxylated | (CAS No) 68439-46-3 | 0.75 | Eye Dam. 1, H318 |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin irritation. Causes serious eye damage.

Inhalation: May cause irritation to the respiratory tract.

Skin Contact: Causes severe irritation.

Eye Contact: Causes serious eye damage.

Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog (flooding amounts).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not itself combustible but assists fire in burning materials (oxidizing). Rate of burning: will accelerate burning. After fire has started, this product will continue to burn in the absence of air.

Explosion Hazard: Product is not explosive.

Reactivity: May accelerate the burning of other combustible materials.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (dust, vapor, mist, gas). Do not get in eyes, on skin, or on clothing. Keep away from combustible material.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Eliminate ignition sources. Ventilate area. Stop leak if safe to do so.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Do not take up in combustible material such as: saw dust or cellulosic material.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Store away from oxidizers, combustible materials, and all ignition sources.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Combustible materials. Metals.

Specific End Use(s)

Stain Remover.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Hydrogen peroxide (7722-84-1) | | |
|--------------------------------------|--------------------------------------|-----------------------|
| Mexico | OEL TWA (mg/m ³) | 1.5 mg/m ³ |
| Mexico | OEL TWA (ppm) | 1 ppm |
| Mexico | OEL STEL (mg/m ³) | 3 mg/m ³ |
| Mexico | OEL STEL (ppm) | 2 ppm |
| USA ACGIH | ACGIH TWA (ppm) | 1 ppm |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 1.4 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 1 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 1.4 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 1 ppm |
| USA IDLH | US IDLH (ppm) | 75 ppm |
| Alberta | OEL TWA (mg/m ³) | 1.4 mg/m ³ |
| Alberta | OEL TWA (ppm) | 1 ppm |
| British Columbia | OEL TWA (ppm) | 1 ppm |
| Manitoba | OEL TWA (ppm) | 1 ppm |
| New Brunswick | OEL TWA (mg/m ³) | 1.4 mg/m ³ |
| New Brunswick | OEL TWA (ppm) | 1 ppm |

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | | |
|-------------------------|-------------------------------|-----------------------|
| Newfoundland & Labrador | OEL TWA (ppm) | 1 ppm |
| Nova Scotia | OEL TWA (ppm) | 1 ppm |
| Nunavut | OEL STEL (mg/m ³) | 2.8 mg/m ³ |
| Nunavut | OEL STEL (ppm) | 2 ppm |
| Nunavut | OEL TWA (mg/m ³) | 1.4 mg/m ³ |
| Nunavut | OEL TWA (ppm) | 1 ppm |
| Northwest Territories | OEL STEL (mg/m ³) | 2.8 mg/m ³ |
| Northwest Territories | OEL STEL (ppm) | 2 ppm |
| Northwest Territories | OEL TWA (mg/m ³) | 1.4 mg/m ³ |
| Northwest Territories | OEL TWA (ppm) | 1 ppm |
| Ontario | OEL TWA (ppm) | 1 ppm |
| Prince Edward Island | OEL TWA (ppm) | 1 ppm |
| Québec | VEMP (mg/m ³) | 1.4 mg/m ³ |
| Québec | VEMP (ppm) | 1 ppm |
| Saskatchewan | OEL STEL (ppm) | 2 ppm |
| Saskatchewan | OEL TWA (ppm) | 1 ppm |
| Yukon | OEL STEL (mg/m ³) | 2.8 mg/m ³ |
| Yukon | OEL STEL (ppm) | 2 ppm |
| Yukon | OEL TWA (mg/m ³) | 1.5 mg/m ³ |
| Yukon | OEL TWA (ppm) | 1 ppm |

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: Gloves. Safety glasses. Protective clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

| | |
|--|---------------------|
| Physical State | : Liquid |
| Appearance | : Colorless |
| Odor | : Characteristic |
| Odor Threshold | : Not available |
| pH | : 6.5 |
| Relative Evaporation Rate (butylacetate=1) | : Not available |
| Melting Point | : Not available |
| Freezing Point | : (212 °F) |
| Boiling Point | : 100 °C |
| Flash Point | : > 100 °C (212 °F) |
| Auto-ignition Temperature | : Not available |

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--|-------------------------------------|
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not available |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20 °C | : Not available |
| Relative Density | : 1.01 (water = 1) at 20 °C (68 °F) |
| Specific Gravity | : 1.01 at 20 °C (68 °F) |
| Solubility | : Not available |
| Log Pow | : Not available |
| Log Kow | : Not available |
| Viscosity, Kinematic | : Not available |
| Viscosity, Dynamic | : Not available |
| Explosion Data – Sensitivity to Mechanical Impact | : Not available |
| Explosion Data – Sensitivity to Static Discharge | : Not available |

SECTION 10: STABILITY AND REACTIVITY

Reactivity: May accelerate the burning of other combustible materials.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity : Not classified

LD50 and LC50 Data Not available

Skin Corrosion/Irritation: Causes skin irritation. (pH: 4.5)

Serious Eye Damage/Irritation: Causes serious eye damage. (pH: 4.5)

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause irritation to the respiratory tract.

Symptoms/Injuries After Skin Contact: Causes severe irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Repeated or prolonged skin contact may cause dermatitis and defatting.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data

| Hydrogen peroxide (7722-84-1) | |
|--------------------------------------|---|
| LD50 Oral Rat | 376 mg/kg |
| LD50 Dermal Rabbit | 2000 mg/kg |
| LC50 Inhalation Rat (mg/l) | 2 g/m ³ (Exposure time: 4 h) |
| Hydrogen peroxide (7722-84-1) | |
| IARC Group | 3 |

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|--|
| LC50 Fish 1 | 16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas) |
| EC50 Daphnia 1 | 18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| LC 50 Fish 2 | 18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |

Persistence and Degradability Not available

Bioaccumulative Potential

| Hydrogen peroxide (7722-84-1) | |
|-------------------------------|----------------------|
| BCF fish 1 | (no bioaccumulation) |

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG/IMDG

UN Number Not regulated for transport

UN Proper Shipping Name Not regulated for transport

Transport Hazard Class(es) Not regulated for transport

Additional Information Not available

Transport by sea Not regulated for transport

Marine Pollutant: No

Air transport Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| ProStar Peroxide All-Purpose Cleaner | |
|--|--|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Fire hazard |

Hydrogen peroxide (7722-84-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 302 (Specific toxic chemical listings)

| | |
|---|---------------------------|
| SARA Section 302 Threshold Planning Quantity (TPQ) | 1000 (concentration >52%) |
|---|---------------------------|

Alcohols, C9-11, ethoxylated (68439-46-3)

| |
|---|
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
|---|

US State Regulations

| Hydrogen peroxide (7722-84-1) |
|--|
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) |
| U.S. - Delaware - Accidental Release Prevention Regulations - Sufficient Quantities |
| U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) |
| U.S. - Idaho - Occupational Exposure Limits - TWAs |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 |
| U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity |

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
 U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
 U.S. - Massachusetts - Right To Know List
 U.S. - Michigan - Occupational Exposure Limits - TWAs
 U.S. - Michigan - Process Safety Management Highly Hazardous Chemicals
 U.S. - Minnesota - Hazardous Substance List
 U.S. - Minnesota - Permissible Exposure Limits - TWAs
 U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
 U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
 U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
 U.S. - New Jersey - Environmental Hazardous Substances List
 U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - New Jersey - Special Health Hazards Substances List
 U.S. - New York - Occupational Exposure Limits - TWAs
 U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
 U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
 U.S. - Ohio - Extremely Hazardous Substances - Threshold Quantities
 U.S. - Oregon - Permissible Exposure Limits - TWAs
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Tennessee - Occupational Exposure Limits - TWAs
 U.S. - Texas - Effects Screening Levels - Long Term
 U.S. - Texas - Effects Screening Levels - Short Term
 U.S. - Vermont - Permissible Exposure Limits - TWAs
 U.S. - Washington - Permissible Exposure Limits - STELs
 U.S. - Washington - Permissible Exposure Limits - TWAs
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater
 U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet
 U.S. - Wyoming - Process Safety Management - Highly Hazardous Chemicals

Alcohols, C9-11, ethoxylated (68439-46-3)

U.S. - Texas - Effects Screening Levels - Long Term
 U.S. - Texas - Effects Screening Levels - Short Term

Canadian Regulations

ProStar Peroxide All-Purpose Cleaner

| | |
|----------------------|--|
| WHMIS Classification | Class C - Oxidizing Material Class D Division 2 Subdivision A - Very toxic material causing other toxic effects |
|----------------------|--|



Hydrogen peroxide (7722-84-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.
 Listed on the Canadian Ingredient Disclosure List

| | |
|----------------------|--|
| WHMIS Classification | Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects Class E - Corrosive Material Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects |
|----------------------|--|

Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

ProStar Peroxide All-Purpose Cleaner

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION

Revision date : 01/02/2014

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:


| | |
|----------------------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal) Category 4 |
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Ox. Liq. 1 | Oxidizing liquids Category 1 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H271 | May cause fire or explosion; strong oxidizer |
| H302 | Harmful if swallowed |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H402 | Harmful to aquatic life |
| H412 | Harmful to aquatic life with long lasting effects |

NFPA Health Hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

NFPA Specific Hazard : OX - This denotes an oxidizer, a chemical which can greatly increase the rate of combustion/fire.



Party Responsible for the Preparation of This Document

Starbrite®

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012 & WHMIS