

# SAFETY DATA SHEET

## 1. Identification

Product identifier	STARBRITE -10°F WINDSHIE	LD WASHER FLUID	
Other means of identification			
Product code	31005, 31005G55		
Recommended use	Cleaner		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Company name Address	Star brite Inc. 4041 SW 47th Avenue Fort Lauderdale, FL 33314 US		
Telephone E-mail	General Information: Not available. Vincent Waclawek	(954) 587-6280	
Contact person Emergency phone number	24-Hour Emergency:	CHEMTREC: (703) 527-3887 or (800) 424-9300	
2. Hazard(s) identification			
Physical hazards	Flammable liquids	Category 3	
Health hazards	Acute toxicity, oral	Category 4	

r nyoloar nazarao		outogoly o
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Specific target organ toxicity, single exposure	Category 1 (central nervous system, eyes)
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger
Hazard statement	Flammable liquid and vapor. Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin. Causes damage to organs (central nervous system, eyes).
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Wash thoroughly after handling.
Response	In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove person to fresh air and keep comfortable for breathing. Take off contaminated clothing and wash before reuse.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number %		
Methanol	67-56-1 <24		
4. First-aid measures			
Inhalation	Remove victim to fresh air. If breathing is difficult, give oxygen. Get medical attention.		
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wa clothing separately before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, it present and easy to do. Continue rinsing. Get medical attention if symptoms persist.		
Ingestion	Rinse mouth thoroughly. Call a physician or poison control center immediately. Do not induce vomiting without advice from medical personnel.		
Most important symptoms/effects, acute and delayed	Harmful if inhaled, absorbed through skin, or swallowed. Irritation of eyes. Causes damage to organs (central nervous system, eyes).		
Indication of immediate	Treat symptomatically. Symptoms may be delayed.		
medical attention and special treatment needed	Methanol: Human exposure to methanol may result in illness, systemic poisoning, blindness, opti nerve damage and perhaps death, after being ingested, absorbed through the skin or inhaled. Death due to cardiac or respiratory failure has been reported in some cases from consumption of as little as 30 mls.		
5. Fire-fighting measures			
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.		
Unsuitable extinguishing media	None known.		
Specific hazards arising from the chemical	Flammable liquid and vapor. By heating and fire, harmful vapors/gases may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothin must be worn in case of fire.		
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Water spray should be used to cool containers.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation Ventilate closed spaces before entering them. Keep people away from and upwind of spill/leak. In not touch damaged containers or spilled material unless wearing appropriate protective clothing.		
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements confined areas. Dike the spilled material, where this is possible. Do not allow material to contaminate ground water system.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).		
	Large Spills: Dike far ahead of spill for later disposal. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste for proper disposal.		
	Never return spills to original containers for re-use. Following product recovery, flush area with water. This material and its container must be disposed of as hazardous waste. Clean up in accordance with all applicable regulations.		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.		
7. Handling and storage			
Precautions for safe handling	Eliminate all sources of ignition. The product is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Ground container and transfer equipment to eliminate static electric sparks. All handling to take place in well-ventilated area. Local exhaust is recommended. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Observ good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Keep locked up. Store in a well-ventilated place. Store in a closed container away from incompatible materials. Do not store near heat sources or expose to high temperatures. Use care in handling/storage.		

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components		Туре	\	Value
Methanol (CAS 67-56-1)		PEL		260 mg/m3
			2	200 ppm
US. ACGIH Threshold L	imit Values			
Components		Туре	١	Value
Methanol (CAS 67-56-1)		STEL	2	250 ppm
		TWA		200 ppm
US. NIOSH: Pocket Guid	le to Chemical Haz	ards		
Components		Type Value		Value
Methanol (CAS 67-56-1)		STEL	3	325 mg/m3
				250 ppm
		TWA		260 mg/m3
			2	200 ppm
ological limit values				
ACGIH Biological Expos	sure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Methanol (CAS 67-56-1)	15 mg/l	Methanol	Urine	*
* - For sampling details, p	lease see the sourc	e document.		
posure guidelines	No exposure	limits noted for ingredie	nt(s).	
US - California OELs: SI	kin designation			
Methanol (CAS 67-50	•	Can I	be absorbed three	ough the skin.
US - Minnesota Haz Sub	s: Skin designatio	n applies		-
Methanol (CAS 67-5	,	Skin	designation app	lies.
US - Tennesse OELs: S	•			
Methanol (CAS 67-56 US ACGIH Threshold Li	,		be absorbed three	ougn the skin.
Methanol (CAS 67-50		-	be absorbed three	ough the skin.
US. NIOSH: Pocket Guid				
Methanol (CAS 67-56	6-1)	Can I	be absorbed three	ough the skin.
propriate engineering ntrols	explosion-pro	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Use explosion-proof equipment. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide easy access to water supply or an emergency shower.		
dividual protection measu	res, such as perso	nal protective equipm	ent	
Eye/face protection				where eye exposure is reasonably probable
Skin protection				
Hand protection	Wear approp	iate chemical resistant	gloves.	
Other	Wear suitable	protective clothing.		
Respiratory protection		When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.			
eneral hygiene nsiderations	and before ea	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemic	al properties			

Appearance	Blue liquid with alcohol-like odor.
Physical state	Liquid.
Form	Blue, liquid.
Color	Blue.

Odor	Alcohol.
Odor threshold	Not available.
рН	8
Initial boiling point and boiling	Not available.
range	
Flash point	120.0 °F (48.9 °C) Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.

The product is stable and non-reactive under normal conditions of use, storage and transport.
Stable under normal temperature conditions.
Hazardous polymerization does not occur.
Heat, sparks, flames, elevated temperatures. Ignition sources. Contact with incompatible materials.
Acids. Metals. Oxidizing agents.
No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Skin contact	Harmful in contact with skin.
Eye contact	Direct contact may irritate.
Symptoms related to the physical, chemical and toxicological characteristics	Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin. Causes damage to organs (central nervous system, eyes).

## Information on toxicological effects

Acute toxicity	Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed. Prolonged and repeated exposure to high vapor concentrations, skin absorption or ingestion of methanol may result in visual disturbances, metabolic acidosis, headache, giddiness, nausea, insomnia, gastric disturbance, dizziness, and slow breathing. There have been severe cases reported of blindness, coma and death due to the ingestion of methanol. May cause mild central nervous system effects. Even small amounts (30-250 ml methanol) may be fatal. Symptoms are stomach ache, nausea, vomiting, dullness, visual disorder and blindness.
----------------	--

	Species		Test Results
Methanol (CAS 67-56-1)			
Acute			
Dermal			
LD50	Rabbit		15800 mg/kg
Inhalation	_		
LC50	Rat		87.5 mg/l, 6 Hours
Oral			
LD50	Rat		5628 mg/kg
Skin corrosion/irritation	Harmful in con	itact with skin.	
Serious eye damage/eye irritation	Direct contact	may irritate.	
Respiratory or skin sensitization			
Respiratory sensitization	Not classified.		
Skin sensitization	Not classified.		
Germ cell mutagenicity	Not classified.		
Carcinogenicity	This product is	s not considered to be a carcinogen by I	NTP, IARC, or OSHA.
Reproductive toxicity	Not classified.		
Specific target organ toxicity - single exposure	Causes damag	ge to organs (central nervous system, e	yes).
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not classified.		
12. Ecological information			
Ecotoxicity			mentally hazardous. However, this does n have a harmful or damaging effect on the
Components		Species	Test Results
Methanol (CAS 67-56-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
	0.50		
Fish	LC50	Fathead minnow (Pimephales promela	as) > 100 mg/l, 96 hours
			as) > 100 mg/l, 96 hours
Persistence and degradability	Not establishe	d.	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential	Not establishe Not establishe	d. d.	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand	Not establishe Not establishe	d. d.	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1)	Not establishe Not establishe	d. d. <b>(ow)</b> -0.77	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand	Not establishe Not establishe ol / water (log k	d. d. <b>(ow)</b> -0.77 d.	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil Other adverse effects	Not establishe Not establishe ol / water (log P Not establishe Not establishe	d. d. <b>(ow)</b> -0.77 d.	as) > 100 mg/l, 96 hours
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil	Not establishe Not establishe ol / water (log k Not establishe Not establishe IS Disposal recor	d. d. <b>(ow)</b> -0.77 d. d.	supplied. Disposal must be in accordance
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	Not establishe Not establishe <b>ol / water (log P</b> Not establishe Not establishe <b>IS</b> Disposal recor with current ap	d. ( <b>ow)</b> -0.77 d. d. d. mmendations are based on material as	supplied. Disposal must be in accordance erial characteristics at time of disposal.
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	Not establishe Not establishe <b>ol / water (log k</b> Not establishe Not establishe <b>Disposal recor</b> with current ap D001: Waste F	d. ( <b>ow)</b> -0.77 d. d. d. d. flammable material with a flash point <	supplied. Disposal must be in accordance erial characteristics at time of disposal.
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	Not establishe Not establishe <b>ol / water (log k</b> Not establishe Not establishe <b>Disposal recor</b> with current ap D001: Waste F	d. ( <b>ow)</b> -0.77 d. d. d. d. flammable material with a flash point <	supplied. Disposal must be in accordance erial characteristics at time of disposal.
Persistence and degradability Bioaccumulative potential Partition coefficient n-octand Methanol (CAS 67-56-1) Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Hazardous waste code US RCRA Hazardous Waste	Not establishe Not establishe ol / water (log k Not establishe Not establishe Disposal recor with current ap D001: Waste F U List: Referer	d. ( <b>cow)</b> -0.77 d. d. d. d. d. d. mmendations are based on material as oplicable laws and regulations, and mate Flammable material with a flash point <7 <b>nce</b>	supplied. Disposal must be in accordance erial characteristics at time of disposal. 140 °F

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

This material is not subject to the requirements of 49CFR HMR per Section 173.150(e).

IATA	
UN number	UN1992
UN proper shipping name Transport hazard class(es)	FLAMMABLE LIQUIDS, TOXIC, N.O.S. (Methanol)
Class	3
Subsidiary risk	6.1
Packing group	
Environmental hazards	No.
ERG Code	3P Desider fate instanctions ODO and encourse the fate has different
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
UN number	UN1992
UN proper shipping name	FLAMMABLE LIQUIDS, TOXIC, N.O.S. (Methanol)
Transport hazard class(es)	
Class	3
Subsidiary risk	6.1
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.
15. Regulatory information	
US federal regulations	This product is hazardous according to OSHA 29 CFR 1910.1200.
TSCA Section 12(b) Export N	lotification (40 CFR 707, Subpt. D)
Not regulated. US. OSHA Specifically Regu	ated Substances (29 CFR 1910.1001-1050)
Not listed.	
CERCLA Hazardous Substar	nce List (40 CFR 302.4)
Methanol (CAS 67-56-1)	LISTED
Superfund Amendments and Rea	authorization Act of 1986 (SARA)
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard	
Not listed.	
SARA 311/312 Hazardous chemical	Yes
SARA 313 (TRI reporting) Chemical name	CAS number % by wt.
Methanol	67-56-1 <24
Other federal regulations	
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Methanol (CAS 67-56-1)	112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

**US. Massachusetts RTK - Substance List** 

Methanol (CAS 67-56-1)

US. New Jersey Worker and Community Right-to-Know Act

Methanol (CAS 67-56-1)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Methanol (CAS 67-56-1)

## **US. Rhode Island RTK**

Methanol (CAS 67-56-1)

#### **US. California Proposition 65**

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Methanol (CAS 67-56-1)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

### 16. Other information, including date of preparation or last revision

Issue date	15-May-2014
Revision date	9-Sept-2018
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
NFPA Ratings	



References

ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Star brite assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Star brite assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.