



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : STAR BRITE CERAMIC SPEED DETAILER

Product code : 2037XX, 203722

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : Other. Exterior care products - all vehicle types.

1.3. Details of the supplier of the safety data sheet

Supplier : Star Brite

4041 SW 47th Avenue

33314 Fort Lauderdale, Florida, United States of America

Telephone : +1-954 587-6280
E-mail : info@starbrite.com
Website : http://www.starbrite.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

US - Telephone : +1-703-527-3887 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

Chemtrec 001 703 5273887 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification (HCS : Not classified as dangerous according to OSHA HazCom 2012, 29 CFR 1910.200.

§1910.1200)

2.2. Label elements

Label elements (1910.1200)

Hazard pictograms : None.

Signal word : Not applicable.

H- and P-phrases : None.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS	Hazards
			nr.	
Propan-2-ol	1 - < 5	67-63-0		Flam. Liq. 2; H225
				Eye Irrit. 2; H319
				STOT SE 3; H336

Product name : Star brite Ceramic Speed Detailer Page 1/9



SAFETY DATA SHEET

According to OSHA HazCom 2012, 29 CFR 1910.1200

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS	Hazards
			nr.	
1,2-Benzisothiazol-3(2H)-one	< 0,1	2634-33-5		Acute Tox. 4; H302
				Skin Irrit. 2; H315
				Skin Sens. 1; H317
				Eye Dam. 1; H318
				Aquatic Acute 1; H400
				Aquatic Chronic 2; H411

Occupational exposure limit(s), if relevant, are listed in section 8. Any concentration shown as a range is to protect confidentiality or is due to batch variations.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.

Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.

Consult a doctor if irritation occurs.

Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.

Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to

an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : May cause headache, dizziness and a feeling of sickness. Skin contact : May produce an allergic reaction. May cause dry skin.

Eye contact : May cause stinging of eyes and redness.

Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog. Not suitable : Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.

Hazardous thermal : Carbon monoxide may be evolved if incomplete combustion occurs.

decomposition products

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation.

equipment for fire-fighters

Product name : Star brite Ceramic Speed Detailer Page 2/9



Page 3/9



According to OSHA HazCom 2012, 29 CFR 1910.1200

NFPA hazard rating



SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Personal precautions

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain

with dike

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an

authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas.

Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and

eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.

Recommended packaging Keep only in the original container. Non recommended : Steel (except stainless steel).

packaging

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

: Occupational exposure limits have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
Propan-2-ol	us	980	-	-	OSHA PEL

Product name : Star brite Ceramic Speed Detailer



SAFETY DATA SHEET

According to OSHA HazCom 2012, 29 CFR 1910.1200

Propan-2-ol	lus	980	1225	- -	NIOSH REL
Propan-2-ol	us	490	980	-	ACGIH TLV

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with

chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots. Suitable material: nitril.

Indication of permeation breakthrough time: 6 hours.

Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Respiratory protection:

Suitable: gas filter type A (brown), class I or higher on e.g. a facemask.

: Under normal conditions of use specific gloves are not required. Wear appropriate gloves in case of Hand protection

frequent or prolonged use and in case of large scale exposure. Suitable material: nitril. ± 0,5 mm.

Indication of permeation breakthrough time: 6 hours.

: Wear appropriate safety glasses with side shields when there is danger of possible eye contact. Eye protection

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid. Colour Blue. Odour : Perfumed. Odour threshold : Not known. pΗ : 6,25 Solubility in water : Soluble.

Partition coefficient (n-

octanol/water)

: Not applicable.

Not measured. Not relevant for mixtures.

Liquid. See flashpoint.

Flash point : > 60 °C

Flammability (solid, gas) : Not applicable.

Auto ignition temperature : > 180 °C : 100 °C Boiling point/boiling range

Freezing point 0°C

Explosion limits (% in air) Not known.

Lower explosion limit in air (%): 2 (Propan-2-ol) Upper explosion limit in air (%): 12 (Propan-2-ol)

Oxidising properties Not applicable. Does not contain oxidizing substances.

Decomposition temperature : Not applicable.

Viscosity (20°C) Not known.

Viscosity (40°C) : Not relevant. The product contains < 10% substances having an aspiration hazard.

Vapour pressure (20°C) : Not known.

(air = 1)Relative vapour density : > 1

: 0,995 g/ml Relative density (20°C)

Evaporation rate (n-butyl acetate = 1) Mixture of liquids and solids.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

Product name : Star brite Ceramic Speed Detailer Page 4/9





10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition: Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 2 %. ATE: > 5 mg/l. Low toxicity. Not

classified - based on available data, the classification criteria are not met. May cause headache,

dizziness and a feeling of sickness.

Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.

Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are

not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low

toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Sensitisation : May produce an allergic reaction.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eve contact

Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low

toxicity. Not classified - based on available data, the classification criteria are not met.

Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain

substances with an aspiration hazard.

Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.

Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are

not met.

Product name : Star brite Ceramic Speed Detailer Page 5/9





Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the

classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based

on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
1,2-Benzisothiazol-3(2H)-one	LD50 (oral)	670 mg/kg bw	OECD 401	Rat
	Skin irritation	Irritant		Rabbit
	Eye irritation	Severely irritant		Rabbit
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	NOAEL (oral)	30 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - in vitro	Genotoxic	OECD 473	
	Genotoxicity - in vivo	250 mg/kg bw/d	OECD 474	Mouse
	NOAEL (development,	Not teratogenic		
	oral)			
	NOAEL (fertility, oral)	24 mg/kg bw/d		Rat
	LD50 (dermal)	> 4115 mg/kg bw	OECD 402	Rat

11.2. Information on other hazards

Other information

: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 1130 mg/l. Calculated EC50 (waterflea): 3093 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability: No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product name : Star brite Ceramic Speed Detailer Page 6/9





Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste

depot.

Additional warning

: None.

Waste water discharge Local legislation

Do not dispose of into the environment, drains, sewers or water courses.

Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be complied

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

DOT (land)

: This product is not classified according to DOT. Class

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Marpol

Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations : OSHA HazCom 2012, 29 CFR 1910.1200 and other Regulations.

United States TSCA (Toxic Substances Control Act) inventory

: All components of this product are in compliance with the inventory listing requirements of the U.S.

Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation

California Proposition 65

WARNING: Contains traces of the following substances known to the state of California to cause cancer, birth defects or other reproductive harm

Chemical name	CAS	Type of toxicity	NSRL or MADL (ug/d)
1,4-Dioxane	123-91-1	cancer	30

Product name : Star brite Ceramic Speed Detailer Page 7/9





SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE : Acute Toxicity Estimate

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

DOT : Department of Transportation
DSL : Domestic Substances List

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

HPA : Hazardous Products Act

HPR : Hazardous Products Regulations
IATA : International Air Transport Association
IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development OSHA : United States Occupational Safety and Health Administration

PBT : Persistent, Bioaccumulative and Toxic

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

WHMIS : Workplace Hazardous Materials Information System

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc. Also used: OSHA HazCom 2012, 29 CFR 1910.1200.

Full text of H-phrases mentioned in section 3:

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Product name : Star brite Ceramic Speed Detailer Page 8/9



SAFETY DATA SHEET

According to OSHA HazCom 2012, 29 CFR 1910.1200

Country / Language code : US / EN

Number format : "," used as decimal separator.

Date of preparation or latest revision

: 2023-05-09

End of safety data sheet.

Product name : Star brite Ceramic Speed Detailer Page 9/9
Date of issue : 2023-05-09 Replaces issue dated : --- INFO CARE SDS