

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : STAR BRITE 5W30 FULL SYNTHETIC  
Product code : 297XX

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : Lubricants, greases, release agents.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Star Brite  
4041 SW 47th Avenue  
33314 Fort Lauderdale, Florida, United States of America  
Telephone : +1-954 587-6280  
E-mail : info@starbrite.com  
Website : http://www.starbrite.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
US - Telephone : +1-703-527-3887 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):  
Chemtrec 001 703 5273887 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

GHS Classification (HCS : Not classified as dangerous according to OSHA HazCom 2012, 29 CFR 1910.200. §1910.1200)

**2.2. Label elements**

Label elements (1910.1200)  
Hazard pictograms : None.  
Signal word : Not applicable.  
H- and P-phrases : None.  
Additional labelling (for all packaging sizes)  
: 2 per cent of the mixture consists of component(s) of unknown acute toxicity.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w%)	CAS nr.	Additional CAS nr.	Hazards
Distillates (petroleum), hydrotreated heavy paraffinic	30 - < 60	64742-54-7	----	Asp. Tox. 1; H304
Distillates (petroleum), hydrotreated heavy paraffinic	10 - < 30	64742-54-7	----	----
Distillates (petroleum), hydrotreated heavy paraffinic	1 - < 5	64742-54-7	----	Asp. Tox. 1; H304
Distillates (petroleum), hydrotreated light paraffinic	1 - < 5	64742-55-8	----	Asp. Tox. 1; H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic	1 - < 5	64742-65-0	----	Asp. Tox. 1; H304

Occupational exposure limit(s), if relevant, are listed in section 8. The actual concentration has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variations.

Reference is made to chapter 16 for full text of each relevant H phrase.

#### SECTION 4 FIRST-AID MEASURES

##### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

##### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : Repeated exposure may cause skin dryness or cracking.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

#### SECTION 5 FIRE-FIGHTING MEASURES

##### 5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.


##### 5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Will float on water and can be reignited.
- Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

NFPA hazard rating :



<b>SECTION 6 ACCIDENTAL RELEASE MEASURES</b>
--

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

#### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

#### 6.4. Reference to other sections

Reference to other sections : See also section 8.

<b>SECTION 7 HANDLING AND STORAGE</b>
---------------------------------------

#### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Do not breathe vapour. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place. Keep away from oxidizing agents.

Recommended packaging : Keep only in the original container.

Non recommended packaging : PE and PP.

#### 7.3. Specific end use(s)

Use : Use only as directed.

<b>SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
--

#### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments	Source
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	10	as Mineral oil, highly and severely refined, inhalable particulate matter	ACGIH, NIOSH, OSHA
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	Mist	OSHA
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	inhalable particulate matter	ACGIH
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	10	Mist	NIOSH
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	10	Mist	NIOSH
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	Mist	OSHA
Distillates (petroleum), hydrotreated heavy paraffinic	US	5	-	inhalable particulate matter	ACGIH
Distillates (petroleum), hydrotreated light paraffinic	US	5	10	as oil mist, if generated	ACGIH

**8.2. Exposure controls**

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

## Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask.

Hand protection : Under normal conditions of use specific gloves are not required.

Eye protection : Wear appropriate safety glasses with side shields when there is danger of possible eye contact.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**
**9.1. Information on basic physical and chemical properties**

Physical state : Liquid.

Colour : Amber.

Odour : Characteristic.

Odour threshold : Not known.

pH : Not applicable. Waterfree product.

Solubility in water : Not soluble.

Partition coefficient (n-octanol/water) : Not known. Not measured. Not relevant for mixtures.

Flash point : > 100 °C

Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.

Auto ignition temperature : > 244 °C

Boiling point/boiling range : > 100 °C

Freezing point : < 0 °C

Explosion limits (% in air) :	Not known.	Lower explosion limit in air (%): 0,9 ( Distillates (petroleum), hydrotreated heavy paraffinic )
:	:	Upper explosion limit in air (%): 7 ( Distillates (petroleum), hydrotreated heavy paraffinic )
Oxidising properties :	Not applicable.	Does not contain oxidizing substances.
Decomposition temperature :	Not applicable.	
Viscosity (20°C) :	Not known.	
Viscosity (40°C) :	90 mm2/sec	
Vapour pressure (20°C) :	Not known.	
Relative vapour density :	> 1	(air = 1)
Relative density (20°C) :	0,869 g/ml	
Evaporation rate :	Not known.	(n-butyl acetate = 1) Mixture of liquids and solids.

<b>SECTION 10 STABILITY AND REACTIVITY</b>
--

**10.1. Reactivity**

Reactivity : See sub-sections below.

**10.2. Chemical stability**

Stability : Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactivity : No other hazardous reactions known.

**10.4. Conditions to avoid**

Conditions to avoid : See section 7.

**10.5. Incompatible materials**

Materials to avoid : Keep away from oxidizing agents.

**10.6. Hazardous decomposition products**

Hazardous decomposition products : Not known.

<b>SECTION 11 TOXICOLOGICAL INFORMATION</b>
---

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity :	Calculated LC50: > 7,091 mg/l. Ingredients of unknown toxicity: 2 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation :	Not classified - based on available data, the classification criteria are not met.
Sensitisation :	Not classified - based on available data, the classification criteria are not met.
Carcinogenicity :	Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity :	Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

**Skin contact**

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 2 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

**Eye contact**

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

**Ingestion**

- Acute toxicity : Calculated LD50: > 4125 mg/kg.bw. Ingredients of unknown toxicity: 2 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Highly viscous liquid. Not classified - based on available data, the classification criteria are not met. Contains a substance/substances with an aspiration hazard. After ingestion, at vomiting, risk of aspiration in the lungs.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

- IARC : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA : No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
- NTP : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 12 ECOLOGICAL INFORMATION**
**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 450 mg/l. Calculated EC50 (waterflea): 1359 mg/l. Contains 17 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

**12.2. Persistence and degradability**

Persistence – degradability : No specific information known.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : Contains bioaccumulating substances.

**12.4. Mobility in soil**

Mobility : Adsorbs to soil and has low mobility. Floats on water.

#### 12.7. Other adverse effects

Other adverse effects : Not applicable.

### SECTION 13 DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as chemical waste. Dispose waste to an official chemical waste depot.

Additional warning : None.

Waste water discharge : Do not dispose of into the environment, drains, sewers or water courses.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

### SECTION 14 TRANSPORT INFORMATION

#### 14.1. UN number or ID number

UN nr. : None.

#### 14.2. UN proper shipping name

Transport name : Not regulated.

#### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

DOT (land)  
Class : This product is not classified according to DOT.

IMDG (sea)  
Class : This product is not classified according to IMDG.  
Marine pollutant : No

IATA (air)  
Class : This product is not classified according to IATA.

#### 14.6. Special precautions for user

Other information : Country specific variations may apply.

#### 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

### SECTION 15 REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations : OSHA HazCom 2012, 29 CFR 1910.1200 and other Regulations.  
: This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of subpart A.10, paragraph A.10.3.3.1 of Appendix A to §1910.1200.

United States TSCA (Toxic Substances Control Act) inventory

: All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

US State Regulation  
California  
Proposition 65

: WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Chemical name	CAS	Type of toxicity	NSRL or MADL (ug/d)
Benzene	71-43-2	cancer	6.4 (oral) 13 (inhalation)
Benzene	71-43-2	developmental	24 (oral) 49 (inhalation)
Benzene	71-43-2	male	24 (oral) 49 (inhalation)
Lead and lead compounds	-----	cancer	15
Lead and lead compounds	-----	developmental	0.5
Lead and lead compounds	-----	male	0.5
Lead and lead compounds	-----	female	0.5
Nickel compounds	-----	cancer	

## SECTION 16 OTHER INFORMATION

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Hazcom 1910.1200. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE	: Acute Toxicity Estimate
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
DOT	: Department of Transportation
DSL	: Domestic Substances List
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
HPA	: Hazardous Products Act
HPR	: Hazardous Products Regulations
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
OSHA	: United States Occupational Safety and Health Administration
PBT	: Persistent, Bioaccumulative and Toxic
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative
WHMIS	: Workplace Hazardous Materials Information System

