



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** INSTRUMENT AF 50/50 ETHANOL/PG

**Other means of identification**

**Product code** 337XX

**Recommended use** Winterizing anti-freeze.

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Company name** Star brite Distributing, Inc.

**Address** 4041 SW 47th Avenue  
Fort Lauderdale, FL 33314 US  
US

**Telephone** General Information: (954) 587-6280

**E-mail** Not available.

**Contact person** Vincent Waclawek

**Emergency phone number** 24-Hour Emergency: CHEMTREC: (703) 527-3887  
or (800) 424-9300

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3

**Health hazards** Serious eye damage/eye irritation Category 2A  
Specific target organ toxicity, single exposure Category 1 (central nervous system, eyes)

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger

**Hazard statement** Flammable liquid and vapor. Causes serious eye irritation. Causes damage to organs (Central nervous system, eyes).

### Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe mist or vapor. Wash thoroughly after handling.

**Response** In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or concerned: Call a poison center/doctor/.

**Storage** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%
Ethanol	64-17-5	30 - 60
Propylene glycol	57-55-6	30 - 60

## 4. First-aid measures

<b>Inhalation</b>	If symptomatic, move to fresh air. Get medical attention if symptoms persist.
<b>Skin contact</b>	Wash area with soap and water. Get medical attention if irritation develops or persists.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms persist.
<b>Ingestion</b>	Seek medical advice.
<b>Most important symptoms/effects, acute and delayed</b>	Irritation of eyes. Causes damage to organs (central nervous system, eyes).
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically. Symptoms may be delayed.  Methanol: Human exposure to methanol may result in illness, systemic poisoning, blindness, optic nerve damage and perhaps death, after being ingested, absorbed through the skin or inhaled. Death due to cardiac or respiratory failure has been reported in some cases from consumption of as little as 30 mls.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Extinguish with foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	None known.
<b>Specific hazards arising from the chemical</b>	Flammable liquid and vapor. By heating and fire, harmful vapors/gases may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.
<b>Fire-fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Water spray should be used to cool containers.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation. Ventilate closed spaces before entering them. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
<b>Methods and materials for containment and cleaning up</b>	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike the spilled material, where this is possible. Do not allow material to contaminate ground water system.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).  Large Spills: Dike far ahead of spill for later disposal. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste for proper disposal.  Never return spills to original containers for re-use. Following product recovery, flush area with water. This material and its container must be disposed of as hazardous waste. Clean up in accordance with all applicable regulations.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so. Do not contaminate water.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Eliminate all sources of ignition. The product is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Ground container and transfer equipment to eliminate static electric sparks. All handling to take place in well-ventilated area. Local exhaust is recommended. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Keep away from heat, sparks and open flame. Keep locked up. Store in a well-ventilated place. Store in a closed container away from incompatible materials. Do not store near heat sources or expose to high temperatures.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3 1000 ppm

## US. ACGIH Threshold Limit Values

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm

## US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ethanol (CAS 64-17-5)	TWA	1900 mg/m <sup>3</sup> 1000 ppm

## US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m <sup>3</sup>	Aerosol.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Exposure guidelines</b>	No exposure limits noted for ingredient(s).
<b>Appropriate engineering controls</b>	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Use explosion-proof equipment. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Provide easy access to water supply or an emergency shower.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear approved chemical safety glasses or goggles where eye exposure is reasonably probable.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>Thermal hazards</b>	Not available.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	Red liquid.
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Red.
<b>Odor</b>	Alcohol.
<b>Odor threshold</b>	Not available.
<b>pH</b>	7.5
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	98°F (36.6°C) Tag Closed Cup
<b>Evaporation rate</b>	1 (Butyl acetate = 1)
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Relative density</b>	0.92 (20°C)
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Completely soluble in water.
<b>Partition coefficient (n-octanol/water)</b>	Not available.

<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Stable under normal temperature conditions.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, sparks, flames, elevated temperatures. Ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Acids. Metals. Oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	No harmful effects expected in amounts likely to be ingested by accident.
<b>Inhalation</b>	In high concentrations, vapors may irritate throat and respiratory system and cause coughing.
<b>Skin contact</b>	Direct contact may irritate.
<b>Eye contact</b>	Causes eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Irritating to eyes. Causes damage to organs (central nervous system, eyes).

### Information on toxicological effects

**Acute toxicity** May cause mild central nervous system effects. Even small amounts (30-250 ml methanol) may be fatal. Symptoms are stomach ache, nausea, vomiting, dullness, visual disorder and blindness.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Ethanol (CAS 64-17-5)		
<b>Acute</b>		
<i>Inhalation</i>		
LC50	Rat	20000 mg/l, 10 Hours
<i>Oral</i>		
LD50	Rat	7060 mg/kg
Propylene glycol (CAS 57-55-6)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	30 g/kg
<b>Skin corrosion/irritation</b>	Direct contact may irritate.	
<b>Serious eye damage/eye irritation</b>	Causes eye irritation.	
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not classified.	
<b>Skin sensitization</b>	Not classified.	
<b>Germ cell mutagenicity</b>	Not classified.	
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by NTP, IARC, or OSHA.	
<b>Reproductive toxicity</b>	Not classified.	
<b>Specific target organ toxicity - single exposure</b>	Causes damage to organs (central nervous system, eyes).	
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.	
<b>Aspiration hazard</b>	Not classified.	

## 12. Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
------------	---------	--------------

Ethanol (CAS 64-17-5)

**Aquatic**

Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

**Persistence and degradability** Not established.

**Bioaccumulative potential** Not established.

**Partition coefficient n-octanol / water (log Kow)**

Ethanol (CAS 64-17-5) -0.31

Propylene glycol (CAS 57-55-6) -0.92

**Mobility in soil** Not established.

**Other adverse effects** Not established.

**13. Disposal considerations**

**Disposal instructions** Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

**Hazardous waste code** D001: Waste Flammable material with a flash point <140 °F

**Waste from residues / unused products** Dispose in accordance with all local, state and federal regulations.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied.

**14. Transport information**

**DOT**

**UN number** UN1993  
**UN proper shipping name** Flammable liquid, n.o.s. (Ethanol)  
**Transport hazard class(es)**  
    **Class** 3  
    **Subsidiary risk** -  
**Packing group** III  
**Special precautions for user** Not available.  
**Special provisions** B1, B52, IB3, T4, TP1, TP29  
**Packaging exceptions** 150  
**Packaging non bulk** 203  
**Packaging bulk** 242

**IATA**

**UN number** UN1993  
**UN proper shipping name** Flammable liquid, n.o.s. (Ethanol)  
**Transport hazard class(es)**  
    **Class** 3  
    **Subsidiary risk** -  
**Packing group** III  
**Environmental hazards** No.  
**ERG Code** 3L  
**Special precautions for user** Not available.

**IMDG**

**UN number** UN1993  
**UN proper shipping name** Flammable liquid, n.o.s. (Ethanol)  
**Transport hazard class(es)**  
    **Class** 3  
    **Subsidiary risk** -  
**Packing group** III  
**Environmental hazards**  
    **Marine pollutant** No.  
**EmS** F-E, S-E  
**Special precautions for user** Not available.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

**General information** This product meets the limited quantities exception as follows:  
DOT: Limited quantities up to 5 liters.  
IATA: Limited quantities up to 5 liters.  
IMDG: Limited quantities up to 5 liters.  
Otherwise, the above descriptions apply.

## 15. Regulatory information

**US federal regulations** This product is hazardous according to OSHA 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Ethanol (CAS 64-17-5) LISTED

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

**US. Massachusetts RTK - Substance List**

Ethanol (CAS 64-17-5)

**US. New Jersey Worker and Community Right-to-Know Act**

Ethanol (CAS 64-17-5)  
Propylene glycol (CAS 57-55-6)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Ethanol (CAS 64-17-5)  
Propylene glycol (CAS 57-55-6)

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Ethanol (CAS 64-17-5)

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes


Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	06-June-2019
Revision date	-
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
NFPA Ratings	



References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
------------	--

Disclaimer	The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Star brite assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Star brite assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.
------------	--